

## FUNCTIONAL REQUIREMENTS OF ROLE (Work Health Assessment Form – Section A)

This document is designed to inform the Occupational Health Department and prospective employees of standard requirements for job roles.

| Details of Position: To be completed in full by the Recruiting Manager |   |  |
|--|---|--|
| Post Title: Community Advanced Practitioner                            | Company / Organisation: NCA                                 |  |
| Department / Ward: HMR Rapid Response Team                             | Site / Location: Community sites HMR and Rochdale Infirmary |  |
| Appointing Manager & Job Title: Service manager Wendy Antill           |   |  |
| Appointing Manager Telephone Number: 01706 517416                      | Appointing Manager Email Address: Wendy.antill@nca.nhs.uk   |  |

## Does the Job involve:

(Tick all boxes applicable)

| Regular Clinical Contact with Patients | <b>\</b> | Exposure to Noise (above 80dB)                         |          |
|--|----------|--|----------|
| Exposure Prone Procedures              |          | Use of Vibrating Equipment                             |          |
| Patient Moving and Handling            | <b>\</b> | Night Working  |          |
| Non-Patient Moving & Handling          | <b>\</b> | Work in Confined Spaces                                |          |
| Exposure to Biological Agents          |          | Food Handling (Catering)                               |          |
| Exposure to Respiratory Sensitisers    |          | Working at Heights                                     |          |
| Exposure to Skin Sensitisers           |          | Regular VDU Work                                       | <b>\</b> |
| Exposure to Ionising Radiation         |          | Driving, including patient transport and where a group | <b>/</b> |
|  |          | 2 license is required.                                 |          |
| Electrical wiring                      |          | Visiting patients and/or working in a care home        | <b>/</b> |
|  |          | setting  |          |
|  |          |  |          |